

# Water Table Trim (Cellular) Installation Instructions (pg 1/2)

Advanced Composite Siding





# **GENERAL INFORMATION**

- Check local building codes before installation.
- Before proceeding, read all instructions for both Everlast siding and appropriate pocketed trim products.
- All pocketed trim used with Everlast siding must have a minimum pocket width of 3/4" (projection from the wall) and minimum pocket depth of 5/8" for course runs less than 24'. Over 24', plan pocket depth of 3/4" or greater. The trim must be installed prior to installing Everlast siding.
- Do NOT install Everlast siding or Everlast trim in temperatures below 0º F.
- Inspect siding and trim for any breakage, foreign objects, surface defects, color consistency and correctness. Do NOT install questionable product.
- •Use a fine tooth or vinyl saw blade to cut all material.
- Fasten material using an exterior grade nail or screw.
   (Recommended: galvanized/stainless/non-corrosive roofing nail or screw).
- Fasten trim through every other or every third nail hole, making sure the trim aesthetically looks good on the wall. Do not over drive the fastener--fastening too tight may cause distortion in the trim.
- To keep miter and butt joint ends tight, it is recommended to use a PVC glue or plastic weld to bond together.
- •Use a glue accelerator to speed up the cure time.

# **JOB SITE STORAGE**

- Do NOT stack siding or trim more than 3 skids high.
- Do NOT store bundles in a vertical position.

# **BEST PRACTICE**

- Siding or trim should be stored inside when possible.
- Always avoid storing in direct sunlight, product should be covered and protected prior to installation using a tarp and/ or supplied shroud. Keep siding away from heat sources.
- When product is stored outside use wood (or equivalent) supports to avoid direct contact with the ground in conjunction with covering.
- Everlast is a premium product. Handle as you would with fine grade lumber.
- Everlast recommends lifting from the middle of the product (length).
- Never slide or drag objects across the reveal surface.
- Take caution when opening bundle packaging with a knife or sharp object not to scratch the reveal surface.



## PREPARING WALLS

- Everlast siding and trim must be installed over flat and level exterior walls with either 16" or 24" on-center framing.
- Everlast siding serves as a rain screen, not a weather-resistant barrier. Therefore, it must be installed over a weather-resistant barrier.
- Properly flash around all windows, doors, rake boards, chimneys, and areas of transition between dissimilar materials.
- If installing over concrete block, poured concrete, or brick, siding must be installed over 1" x 3" furring strips.

## **BEST PRACTICE**

If exterior walls are not flat or level, a quality underlayment should be installed first to create a flat and level surface.

# **COMMON APPLICATIONS**

 Water Table is typically used for Bottom of the Wall, Above a Stone/Bri1ck Ledge

## **LENGTHS**

•18'

# **COLOR**


Matte White


# **INSTRUCTIONS**

- 1. Measure the desired length to be cut.
- Cut the water table with a power saw using a fine tooth or PVC blade.
- On a table saw, remove top of water table to achieve desired gap from the bottom of the siding to the surface of the water table (Fig. 1, 2, 3).
- 4. Install the water table at the desired location making sure it remains level every 8" to 12" using galvanized, stainless, or corrosion resistant nails or screws through the top portion.
- 5. Butt conjoining pieces of water table together when exceeding 18'.
- 6. If installing Everlast lap siding, rest the required starter strip at the top of the water table and fasten to the wall.
- 7. Install Everlast siding according to the installation instructions.



# Water Table Trim (Cellular) Installation Instructions (pg 2/2)








Fig. 3



For a video installation tutorial, visit EverlastSiding.com/ProResources.



Everlast® Call Center Support Line

8am – 5pm EST Mon-Fri Toll Free (844) 494-7920

www.EverlastSiding.com



